

ECOUSTIC® PANEL PRINT TRI



unika vaev
INSTYLE

Hear yourself think®

ECOUSTIC® PATTERN PRINT TRI



SLATE ON LIGHT GREY



ASH ON NATURAL




BLACK ON CHARCOAL



WHITE ON WHITE


TRI FULL PANEL PATTERN



Patterns shown are not to scale
Product may vary in color due to the nature of the media
Please refer to website for current color range

ecoustic® global leaders
by INSTYLE in acoustic
products

ECOUSTIC® PANEL PRINT TRI



CONTENT	100% PET (up to 65% recycled PET)
DIMENSIONS	
Panel Dimensions	8'11 1/16" x 3' 11 5/8" (2720mm x 1210mm)
Print Dimensions	8'10 5/16" x 3' 11 1/4" (2700mm x 1200mm)
Screen Panel Dimensions	3'11 5/8" x 7' 11 1/4" (1210mm x 2420mm)
Screen Print Dimensions	3'11 1/4" x 7' 10 1/2" (1200mm x 2400mm)
THICKNESS	
	0.31" (8mm)
	0.53" (13.5mm) (3 box minimum)
	0.98" (25mm) (3 box minimum)
	1.97" (50mm) (5 box minimum)
	0.47" (12mm) *Custom Screen
PATTERN REPEAT	(h) 16.93" (430mm) x (w) 17.72" (450mm)
FLAMMABILITY	
ASTM E84	Class A
AS/NZS 1530.3	
AS/ISO 9705	
GB 8624	
APPLICATION	Screen, Wall & Ceiling Panel
ACOUSTIC	NRC: 0.30 - 1.0 Depending on thickness See graph on following page

Improved Pinability: ecoustic® Panel + Screen features an improved pinability compared to similar panel products.

Lightweight, Easy to Handle + Install: ecoustic® is an intelligent alternative to traditional panels composed of multiple materials such as particle board, fabric, foam and adhesive.

Designed for the Environment:

- Based on low energy manufacturing
- 100% polyester (up to 65% recycled content)
- Designed for disassembly + recyclable
- Low-VOC
- HPD
- HHI Compliant
- Global Greentag
- EPD

Lightweight, Easy to Handle + Install: ecoustic® Panel is an intelligent alternative to traditional panels composed of multiple materials such as particle board, fabric, foam and adhesive.

Building Rating Systems: ecoustic® Tri will contribute the following points for Green Star, LEED + WELL building standards.

Criteria	Green Star	LEED	WELL
Recycled Content	√	√	N/A
Low-VOC	√	√	√
EPD	√	√	N/A
3rd Party Greentag Level A Certification	√	√	√
Toxic Material Reduction	N/A	N/A	√
Sound Reducing Surfaces (.98" & 1.97")	N/A	N/A	√

Please Note: Results from performance tests are guidelines only. On site trimming to square each individual panel is essential. This is a hand printed product. Variation in thickness, fiber mix and color, as well as flecks and other slight surface blemishes are an inherent feature of this product and are unavoidable. Variation from batch to batch may occur.



ECOUSTIC® PANEL PRINT TRI ACOUSTIC

