

ECOUSTIC® BOND

unika vaev


INSTYLE

Hear yourself think®

ECOUSTIC® COLORS



AQUA




AUBERGINE



BALTIC



BERRY



CAMEO



CAPER




CHARCOAL



COBALT




CREAM



DOVE



FIELD



FOSSIL




FRESCO



GREEN




INDIGO




JET



LEMON



LIGHT GREY



LIME



NATURAL



NAUTICAL



OATMEAL



OPAL



ORANGE



OYSTER



PAPRIKA



PEWTER



QUARTZ



RED



SKY



SPRAY



TAUPE



WHITE



YELLOW

Patterns shown are not to scale
Product may vary in color due to the nature of the media
Please refer to website for current color range

ecoustic® global leaders
by INSTYLE in acoustic
products

ECOUSTIC® BOND



CONTENT 100% PET (up to 23% recycled content)

DIMENSIONS 19.7”(w) x 19.7”(h) x 2.2”(d)
(500mm x 500mm x 55mm)

APPLICATION Wall, Ceiling
*Use glue for ceiling installations

FIRE RATINGS
ASTM E84 Class A / Class B with ecoustic® Infill
AS/NZS 3837
ISO 5660-1
GB 8624

VOC
Cal 01350 Complies

DESCRIPTION The design of Bond is inspired by alterations in atoms and molecules. By changing the color and orientation of these acoustic wall tiles, subtle or commanding patterns are created that play with light and shadow.

ACOUSTIC NRC without Infill: .65
NRC with Infill: .80


BENEFITS

Lightweight, Easy to Handle + Install: Use the provided template to position the 4-way clips, then simply press the tile into place. The design can be easily extended at a later stage.

Designed for the Environment: Bond is made with up to 23% recycled content. Bond is designed for disassembly and recyclable, with all components able to be fixed without the use of adhesives. Bond is low VOC + Greentag Level A certified.

Building Rating Systems: Bond will contribute the following points for Green Star, LEED and WELL building standards.

Criteria	Green Star	LEED	WELL
Recycled content	yes	yes	no
Low-VOC	yes	yes	yes
Recycling Program	yes	yes	no
EPD	yes	yes	no
3rd Party Greentag Level A Certification	yes	yes	yes
Toxic Material Reduction	no	no	yes
Sound Reducing Surfaces	no	no	yes




UNIKAVAEV.COM
800-237-1625




ecoustic® global leaders
by INSTYLE in acoustic products

ECOUSTIC® BOND COMPONENTS

Front View





Side View



Screws

Flat-head c/sunk 1" (25mm) 10g
 [2 per 4-way clip]
 Not supplied



ecoustic® Bond Tile

100% polyester (up to 23% recycled content)
 8 tiles per box in one color

4-way clip

Clear ABS
 8+1 spare 4-way clips are supplied with each box
 Single clip template is included in each box