

SKY CEILING



unika vaev
abstracta

Hear yourself think®

SKY CEILING COLOR

STANDARD OPTIONS


Xtreme CS




(90)
snow white

NON-STANDARD OPTIONS

Xtreme CS



(xr009)
havana




(xr026)
costa



(xr046)
sombrero



(xr079)
panama



(xr081)
blizzard



(xr084)
taro



(xr094)
slip



(xr100)
ocean



(xr106)
calypso



(xr108)
aruba



(xr160)
tonga



(xr414)
palu



(xr415)
kota



(xr416)
malang



(xr417)
tenete



(xr418)
timor



(xr419)
tenom



(xr420)
jambi



(xr421)
depok



(xr422)
medan



(xr423)
laga




(xr424)
makili



(xr425)
bima




(xr426)
ruteng



(xr427)
kendari



(xr428)
lambata



(xr429)
bitung



(xr430)
tegal



(xr431)
blora




(xr432)
kora



(xr433)
roques



(xr431)
varadero




(50)
white

Lead times are contingent on color/finish availability
Product may vary in color due to the nature of the media
Please refer to website for current color range + larger sample swatch

unika vaev
abstracta

SKY CEILING



DESIGNER	Stefan Borselius
CONTENT	Core: 100% Polyester Cover: 100% Trevira CS (Xtreme CS)
THICKNESS	4.7" (120mm)
DIMENSIONS	33.3" x 23.2" (846mm x 591mm)
WEIGHT	2.30 lbs
FLAMMABILITY EN 13501-1	
ACOUSTIC	NRC: 0.85 (see graph on following page)
APPLICATION	Ceiling
DESCRIPTION	Sky is a modular system that weaves convex organic forms into a pattern which visual energy is matched by its capacity to improve a space's soundscape.

BENEFITS

Ease of Installation: Each panel has four embedded magnets placed 23.5" apart in each corner. This allows Sky to attach to 2' x 2' drop-ceiling grids without the need of any hardware.


Improved Sound Absorption: Sky Ceiling is ideal for high frequency absorption and achieves an NRC 0.85 rating when directly fixed to a ceiling grid. Sky Ceiling tiles can be installed in vertical or horizontal arrangements, with either complete coverage or with voids between tiles, due to the tile's form, scale, and a flexible installation system.

Designed for the Environment: There are no emissions to air, water or land during the production of Sky Ceiling. The sound-absorbent core of Sky contains recycled materials. Sky Ceiling is recyclable.

- Cal 01350 Compliant
- Low-VOC
- Declare CDHP Emissions Compliant
- Global Greentag
- EPD
- HPD



SKY CEILING



CARE

Trevira CS Covering: To preserve the fabric color and appearance of the fabric, Sky should be vacuumed regularly with a soft nozzle.

Polyester Core Stain Removal: Use uncolored paper towel or cloth to soak up as much as possible of the stain. Dried stains should be vacuumed. Moisten the stain lightly with a clean white cotton cloth, lukewarm water and possibly a small amount of pH-neutral detergent. Press a dry cloth or uncolored paper towel against the fabric so that moisture and dirt are absorbed. Repeat moisten and soaking until the stain is gone. Use clean water without detergent at the last moistening. Finish with soaking.