













unika vaev











Bringing Design to Life











2023 Textile Collection
















Pattern Number + Name	Specifications	Color Name + Number	Net Price	
Almost Tweed 736  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 30% Viscose, 16% Wool, 13% Linen, 12% Cotton, 10% Nylon, 9% Polyester, 6% Silk, 4% Acrylic</p> <p>Width 55"</p> <p>Weight 20.2 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 100,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, NFPA 260</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p>	<p>heathered navy /40</p> <p>smokey sage /42</p> <p>toffee crunch /78</p> <p>ashen grey /79</p> <p>coal /81</p> <p>tiramisu /82</p> <p>brown flannel /90</p> <p>grey flannel /92</p> <p>brilliant grey /93</p>	\$91	
Atelier 706  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 92% Polyester, 5% Cotton, 3% Latex</p> <p>Width 54"</p> <p>Weight 17.6 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 100,000 Martindale</p> <p>Application Upholstery</p> <p>Flammability AS/NZS 1530.3, ASTM E84 Unadhered Class B, Cal 117E, ISO 5660.1</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code WS - Spot clean with a mild solvent, an upholstery shampoo or the foam from a mild detergent.</p> <p>Designer Instyle Studio</p>	<p>admire /10</p> <p>glow /16</p> <p>decadent /17</p> <p>himalayan /19</p> <p>ballet /20</p> <p>lava /21</p> <p>exotic /22</p> <p>venetian /23</p> <p>powder /35</p> <p>capri /39</p> <p>yale /40</p> <p>mango /52</p> <p>genie /53</p> <p>luxury /54</p> <p>oxford /60</p> <p>ocean /61</p> <p>impress /62</p> <p>jungle /63</p> <p>raw /64</p> <p>palm /65</p> <p>limelight /66</p>	<p>envy /67</p> <p>hunter /68</p> <p>antique /69</p> <p>vintage /72</p> <p>nostalgia /73</p> <p>bloom /74</p> <p>opulent /75</p> <p>mystic /76</p> <p>indulgent /77</p> <p>runway /78</p> <p>zen /79</p> <p>alibi /80</p> <p>ultra /81</p> <p>quartz /82</p> <p>minx /89</p> <p>tawny /90</p> <p>whimsy /91</p> <p>dreamy /92</p> <p>breeze /93</p> <p>salt lake /96</p>	\$101
Band 734  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 28% Acrylic, 24% Cotton, 20% Viscose, 16% Wool, 12% Polyester</p> <p>Width 55"</p> <p>Weight 29.5 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 80,000 Martindale 65,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p> <p>Designer De Ploeg</p>	<p>simone /10</p> <p>vaughan /36</p> <p>ellington /39</p> <p>miles /40</p> <p>hampton /56</p> <p>fitzgerald /69</p> <p>basie /78</p> <p>marsalis /79</p> <p>sinatra /81</p> <p>blakely /91</p> <p>calloway /92</p> <p>coltrane /93</p>	\$95	







Pattern Number + Name	Specifications	Color Name + Number	Net Price
Block Party 739  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	Content 69% Acrylic, 31% Polyester Width 56" Weight 33 oz/linear yard Repeat 5.67" (W) x 10.24" (H) Abrasion 70,000 Wyzenbeek Application Upholstery Flammability Cal 117E, NFPA 260 Performance Meets all ACT Standards  Finish None Cleaning Code WS - Spot clean using a mild water-free solvent, or dry cleaning product. Bleach Cleanable: Diluted 1:10. Designer Courtney Brooks	verdigris /18 mauve blues /19 seafoam /63 color wheel /75 deep purple /76 onyx /80 smokey eye /81	\$86
Bubbly 730  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	Content 100% Bella-Dura® Width 54" Weight 16.93 oz/linear yard Repeat None Abrasion 85,000 Wyzenbeek Application Upholstery Flammability Cal 117E, ASTM E84 Adhered + Unadhered, NFPA 260 + 701 Performance Meets all ACT Standards  Finish Light Acrylic Backing, Stain Repellant Cleaning Code WS - Spot clean using a mild water-free solvent, or dry cleaning product. Bleach Cleanable: Diluted 1:10 Designer Courtney Brooks	lemonade + tea /10 turquoise sprinkles /35 blueberry crush /40 orange crush /52 greyhound /81 champagne /82	\$65
Buzz 690  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	Content 100% PVC Width 54" Weight 18.67 oz/linear yard Repeat None Abrasion 100,000 Wyzenbeek 100,000 Martindale Application Upholstery Flammability Cal 117E, AS/NZS 1530.3, AS/NZS 3837, IMO A.652 (16), ISO 5660.1 Performance Meets all ACT Standards  Finish Resilience ^{SR} Cleaning Code Bleach Cleanable: Diluted 1:10 Designer Instyle Studio	dash /10 bee /16 signal /21 noise /38 you /39 electric /40 chatter /54 quiz /65 about /66 around /67 me /72 gossip /74 magazine /77 phrase /79 saw /80 intercom /81 timer /82 box /89 hum /90 word /92 option /94 rumour /95	\$29







Pattern Number + Name	Specifications	Color Name + Number	Net Price	
Calibre 688  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content 82% Wool, 18% Nylon Width 54" Weight 13.45 oz/linear yard Repeat None Abrasion 100,000 Martindale Application Upholstery Flammability Cal 117E, ASTM E84 Unadhered, AS/NZS 1530.3, AS/NZS 3837, IMO A.652 (16), ISO 5660.1 Performance Meets all ACT Standards A     Finish None Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product. Designer Instyle Studio	quality /10 wisdom /16 aesthetic /18 revere /19 courage /21 virtue /35 valour /36 status /38 icon /40 keynote /42 luminary /43 ultimate /44 ritz /51 talent /52 paramount /53 character /54 literary /62 opus /63 business /64	merit /66 fine /67 honours /68 gentry /75 grade /77 title /78 principle /79 elite /80 esteem /81 worth /82 squire /89 forte /90 integrity /91 dandy /92 distinction /93 class /94 aria /95 noble /96	\$111
Chunky 688  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content 96% EthEco® Wool, 4% Nylon Width 54" Weight 22.4 oz/linear yard Repeat None Abrasion 100,000 Wyzenbeek Application Upholstery Flammability Cal 117E, ASTM E84 Unadhered, AS/NZS 1530.3, AS/NZS 3837, IMO A.652(16)/ IMO2010 FTP Code Pt8 Performance Meets all ACT Standards A     Finish None Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product. Designer Instyle Studio	ice /10 heels /35 jam /52 look /54 apple /66 beats /72 mama /80 rock /81 chocolate /90 profile /93		\$175







Pattern Number + Name	Specifications	Color Name + Number	Net Price
Cocoon 703  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content	73% Wool, 17% Acrylic, 8% Polyester, 2% Nylon	ochre /17 anise /20 jade /38 ink /60 glen /64 pebble /78 charcoal /79 shadow /81 almond /82 cinnamon /83 dapple /90 mist /91 natural /92 fawn /93
	Width	54"	
	Weight	13.57 oz/linear yard	
	Repeat	None	
	Abrasion	130,000 Martindale	
	Application	Upholstery	
	Flammability	Cal 117E, ASTM E84 Unadhered, AS/NZS 1530.3, AS/NZS 3837, IMO A.652(16)/IMO2010 FTP Code Pt8, ISO 5660.1	
	Performance	Meets all ACT Standards 	
	Finish	None	
	Cleaning Code	S - Spot clean using a mild water-free solvent, or dry cleaning product.	
Designer	Instyle Studio		\$130
Ecoustic® Felt 681  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content	100% PET (>80% recycled PET)	yellow /10 lemon /15 cameo /19 cobalt /35 baltic /36 sky /39 indigo /40 nautical /41 orange /52 paprika /53 red /54 berry /55 aqua /62 spray /63 caper /64 fresco /65 lime /66 green /67 field /68 aubergine /76 fossil /78 charcoal /79 jet /80 light grey /81 dove /87 oyster /88 oatmeal /89 taupe /90 pewter /91 quartz /92 opal /93 cream /94 natural /95 white /96
	Width	54"	
	Weight	10.32 oz/linear yard	
	Repeat	None	
	Abrasion	N/A	
	Application	Vertical surfaces, Fabric wrapped panels	
	Flammability	ASTM E84 Class A, AS/NZS 1530.3, BCA Group 1	
	Performance	Meets all ACT Standards 	
	Finish	None	
	Cleaning Code	Inquire	
Designer	Instyle Studio		\$63







Pattern Number + Name		Specifications	Color Name + Number	Net Price	
Esprit 731  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content	52% Wool, 15% Polyester, 13% Cotton, 10% Alpaca, 7% Nylon, 3% Acrylic	dixie /10 candy /19 desire /21 halcyon /40 comet /41 lunar /42 folly /63 appeal /64 emotive /74 visionary /79 hero /80 chrysler /81 atom /82 intuition /90	\$138	
	Width	55"			
	Weight	24.1 oz/linear yard			
	Repeat	5.9" (W) x 5.9" (H)			
	Abrasion	100,000 Martindale			
	Application	Upholstery			
	Flammability	Cal 117E, ASTM E84 Adhered + Unadhered, AS/NZS 1530.3, AS/NZS 3837, NFPA 260, NFPA 701, ISO 5660.1			
	Performance	Meets all ACT Standards 			
	Finish	None			
	Cleaning Code	S - Spot clean using a mild water-free solvent, or dry cleaning product.			
Designer	Instyle Studio				
Feel 679  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content	65% Wool, 20% Nylon, 15% Alpaca 55"	jubilant /10 merry /11 excited /16 at home /17 calm /18 inspired /20 lucky /35 sophisticated /36 wonderful /37 liberated /39 secure /40 precious /41 great /42 chilled /43 daring /51 up for it /52 adventurous /53 optimistic /54 peachy /55 playful /62 nostalgic /63	thrilled /64 zen /65 free /67 splendid /68 loved /72 refined /73 fabulous /74 wanted /75 amazing /76 beautiful /77 awesome /78 respected /79 invincible /80 confident /81 young again /83 alive /87 unique /88 satisfied /89 positive /90 grounded /91 elated /93	\$128
	Width	12.33 oz/linear yard			
	Weight	None			
	Repeat	46,500 Martindale			
	Abrasion	Upholstery			
	Application	Cal 117E, UFAC, AS/NZS 1530.3, AS/NZS 3837, ISO 5660.1 IMO A.652(16)/IMO2010 FTP Code Pt8			
	Flammability	Meets all ACT Standards 			
	Performance	None			
	Finish	S - Spot clean using a mild water-free solvent, or dry cleaning product.			
	Cleaning Code				
Designer	Instyle Studio				




Pattern Number + Name	Specifications	Color Name + Number	Net Price
Feeling Plaid 737  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 31% Acrylic, 28% Wool, 24% Polyester, 17% Cotton</p> <p>Width 55"</p> <p>Weight 21.12 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 80,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, NFPA 260</p> <p>Performance Meets all ACT Standards A    </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p>	<p>goldenrod /10</p> <p>wine /20</p> <p>navy /40</p> <p>black /79</p>	\$97
Fusion 735  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 82% Polyester, 13% Cotton, 5% Linen</p> <p>Width 54"</p> <p>Weight 20.91 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 100,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, NFPA 260</p> <p>Performance Meets all ACT Standards A    </p> <p>Finish None</p> <p>Cleaning Code W - Spot clean using the foam only from a water-based cleaning agent such as a mild detergent or non-solvent upholstery shampoo product.</p>	<p>beat /38</p> <p>blues /39</p> <p>swing /52</p> <p>chorus /73</p> <p>jam /78</p> <p>boogie /81</p> <p>rhythmic /91</p> <p>bop /93</p>	\$48
Genre 725  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 51% Polypropylene, 49% Polyester</p> <p>Width 54"</p> <p>Weight 13.12 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 100,000 Martindale</p> <p>Application Upholstery, Vertical Surfaces</p> <p>Flammability Cal 117E, AS/NZS 1530.3 AS/NZS 3837, ASTM E84 adhered + unadhered (Class A)</p> <p>Performance Meets all ACT Standards A    </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p> <p>Designer Instyle Studio</p>	<p>latin /15</p> <p>ballad /18</p> <p>broadway /21</p> <p>musical /35</p> <p>list /40</p> <p>electronic /42</p> <p>salsa /54</p> <p>new wave /61</p> <p>funk /63</p> <p>rap /66</p> <p>techno /67</p> <p>noir /80</p> <p>documentary /81</p> <p>classical /82</p>	\$35



Pattern Number + Name	Specifications	Color Name + Number	Net Price
Grid Play 740  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 100% Polyester (23% Post-Consumer Recycled Polyester)</p> <p>Width 57"</p> <p>Weight 26.77 oz/linear yard</p> <p>Repeat 7.25" (W) x 11.18" (H)</p> <p>Abrasion 95,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, NFPA 260</p> <p>Performance Meets all ACT Standards </p> <p>Finish Light Acrylic Backing, PFAS Free Stain Repellent (Per- and Polyfluorinated Substances)</p> <p>Cleaning Code WS - Spot clean with a mild solvent, an upholstery shampoo or the foam from a mild detergent. Bleach Cleanable: Diluted 1:10</p> <p>Designer Courtney Brooks</p>	<p>aqua sky /35</p> <p>sky navy /39</p> <p>yam /54</p> <p>absinthe /67</p> <p>checkers /80</p> <p>impala /89</p> <p>medium taupe /93</p>	\$56
Guild 707  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 80% Cotton, 20% Polyester</p> <p>Width 52"</p> <p>Weight 17.67 oz/linear yard</p> <p>Repeat 13" (W)</p> <p>Abrasion 50,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, NFPA 260, AS/NZS 1530.3, AS/NZS 3837, ISO 5660.1, UFAC</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p> <p>Designer Instyle Studio</p>	<p>elite /35</p> <p>studio /52</p> <p>secret /54</p> <p>urban /80</p> <p>master /66</p>	\$170
Herringbone 712  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 98% Wool, 2% Nylon</p> <p>Width 54"</p> <p>Weight 11.8 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 60,000 Martindale</p> <p>Application Upholstery, Screen</p> <p>Flammability Cal 117E, AS/NZS 1530.3, AS/NZS 3837, ASTM E84, ISO 5660.1, IMO.A.652(16)/IMO2010 FTP Code Pt8</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p> <p>Designer Instyle Studio</p>	<p>define /10</p> <p>authentic /19</p> <p>elegance /35</p> <p>style /37</p> <p>isle /38</p> <p>cape /40</p> <p>croft /42</p> <p>revival /53</p> <p>iconic /54</p> <p>lewis /67</p> <p>tradition /79</p> <p>provenance /81</p> <p>shetland /82</p> <p>weaver /89</p> <p>hebrides /91</p>	\$141



Pattern Number + Name	Specifications	Color Name + Number	Net Price	
Jazzy 732  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	<p>Content 41% Post Consumer Polyester, 25% Nylon, 23% Acrylic, 11% Polyester</p> <p>Width 54"</p> <p>Weight 23.23 oz/linear yard</p> <p>Repeat 9" (W) x 16.5" (H)</p> <p>Abrasion 60,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E</p> <p>Performance Meets all ACT Standards </p> <p>Finish Alta™, Light Acrylic Backing</p> <p>Cleaning Code WS - Spot clean with a mild solvent, an upholstery shampoo or the foam from a mild detergent. Bleach Cleanable: Diluted 1:10</p> <p>Designer Courtney Brooks</p>	<p>blue notes /40</p> <p>water /42</p> <p>tobacco /53</p> <p>rhythm /54</p> <p>domino /80</p>	\$58	
Luxe 714  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	<p>Content 85% PVC, 15% Polyester</p> <p>Width 54"</p> <p>Weight 21.38 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 250,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, AS/NZS 1530.3, IMO 2010 FTP, ISO 5660.1</p> <p>Performance Meets all ACT Standards </p> <p>Finish Resilience^{SR}</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product. Bleach Cleanable: Diluted 1:10</p> <p>Designer Instyle Studio</p>	<p>rye /10</p> <p>golden /15</p> <p>wild honey /16</p> <p>aquashell /35</p> <p>jade /38</p> <p>bluestone /40</p> <p>seaspray /42</p> <p>vermilion /52</p> <p>bronze /53</p> <p>red earth /54</p> <p>fern /66</p> <p>leaf /67</p>	<p>ember /72</p> <p>imperial /76</p> <p>pumice /79</p> <p>mars /80</p> <p>platinum /81</p> <p>chino /82</p> <p>earthenware /83</p> <p>mocha /89</p> <p>iron /90</p> <p>dover /91</p> <p>sorbet /95</p> <p>titanium /96</p>	\$39
Luxe Mohair 727  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	<p>Content Face: 100% Mohair Back: 51% Wool, 49% Cotton</p> <p>Width 55"</p> <p>Weight 24.8 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 85,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p>	<p>chardonnay /10</p> <p>melon sangria /21</p> <p>deep indigo /40</p> <p>blue frost /41</p> <p>lavendar blue /42</p> <p>desert coral /53</p> <p>menthol ash /61</p> <p>galápagos /62</p> <p>verdant /67</p>	<p>berry cherry /72</p> <p>deep ashen /78</p> <p>midnight slate /79</p> <p>natural wool /82</p> <p>iced java /83</p> <p>dusty mocha /89</p> <p>chocolatier /90</p> <p>dapple /91</p> <p>almond sugar /94</p>	\$196



Pattern Number + Name	Specifications	Color Name + Number	Net Price
Mammoth 10217  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	<p>Content 53% Worsted EthEco® Wool, 47% EthEco® Wool</p> <p>Width 54"</p> <p>Weight 15.69 oz/linear yard</p> <p>Repeat 8.625" (W) x 1" (H)</p> <p>Abrasion 26,000 Martindale</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, AS/NZS 1530.3, AS/NZS 3837, ASTM E84 unadhered, IMO A.652 (16)</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p> <p>Designer Instyle Studio</p>	<p>adventure /100</p> <p>challenge /110</p> <p>decision /120</p> <p>hunger /140</p> <p>leap /160</p> <p>myth /170</p> <p>occasion /180</p> <p>scale /190</p> <p>vision /200</p> <p>wild /210</p>	\$181
Nubly 738  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	<p>Content 37% Polyester, 21% Acrylic, 19% Viscose, 14% Cotton, 8% Linen, 1% Nylon</p> <p>Width 55"</p> <p>Weight 24.41 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 100,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, NFPA 260</p> <p>Performance Meets all ACT Standards </p> <p>Finish Light Acrylic Backing</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p>	<p>juniper /68</p> <p>crimson /72</p> <p>blue grey /78</p> <p>dusty indigo /80</p> <p>fashionably black /81</p> <p>natural sand /82</p> <p>deep taupe /89</p>	\$100
Origin 718  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	<p>Content 76% AU + NZ Wool, 15% Nylon, 9% Polyester</p> <p>Width 54"</p> <p>Weight 24.74 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 100,000 Martindale</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, AS/NZS 1530.3 AS/NZS 3837, ASTM E84 unadhered, IMO A.652 (16), ISO 5660.1</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p> <p>Designer Instyle Studio</p>	<p>spirit /20</p> <p>kin /36</p> <p>being /39</p> <p>place /40</p> <p>rise /53</p> <p>heritage /64</p> <p>myth /72</p> <p>ritual /80</p> <p>evolve /81</p> <p>impulse /96</p>	\$139



Pattern Number + Name	Specifications	Color Name + Number	Net Price
Persuede 711  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 88% Recycled Polyester, 12% Polyurethane</p> <p>Width 56"</p> <p>Weight 27.5 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 100,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, ASTM E84 adhered + unadhered, NFPA 260, UFAC</p> <p>Performance Meets all ACT Standards </p> <p>Finish Stain Repellent</p> <p>Cleaning Code WS - Spot clean with a mild solvent, an upholstery shampoo or the foam from a mild detergent.</p>	<p>sunflower /10</p> <p>spring /13</p> <p>twist /16</p> <p>rogue /21</p> <p>spray /33</p> <p>aqua /34</p> <p>lagoon /36</p> <p>mallard /37</p> <p>nightsky /40</p> <p>zest /54</p> <p>rust /55</p> <p>tumeric /56</p> <p>mango /57</p> <p>deep /60</p> <p>sage /61</p> <p>denim /62</p> <p>electric /63</p> <p>hedge /64</p> <p>apple /65</p> <p>treefrog /66</p> <p>pine /67</p> <p>moss /68</p> <p>wine /70</p> <p>bloom /73</p> <p>imperial /75</p> <p>regal /77</p> <p>mushroom /78</p> <p>charcoal /79</p> <p>ebony /80</p> <p>sand /82</p> <p>ginger /83</p> <p>shimmer /86</p> <p>taupe /87</p> <p>mocha /88</p> <p>dust /89</p> <p>umber /90</p> <p>shadow /91</p> <p>silver /92</p> <p>mist /93</p> <p>vanilla /94</p>	\$101
Ploegwool 720  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 100% Wool</p> <p>Width 55"</p> <p>Weight 30.7 oz/linear yard</p> <p>Repeat None</p> <p>Abrasion 85,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, BS 5852</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product.</p> <p>Designer De Ploeg</p>	<p>solarium /10</p> <p>dijon /14</p> <p>mid summer gold /15</p> <p>citrus /16</p> <p>raging bull /21</p> <p>lingonberry punch /22</p> <p>aruba blue /35</p> <p>placid sea /36</p> <p>brittany /39</p> <p>midnight /40</p> <p>storm /41</p> <p>poseidon /42</p> <p>sunset /53</p> <p>tandoori /54</p> <p>inked /60</p> <p>charter blue /61</p> <p>tasmanian sea /63</p> <p>olive shade /64</p> <p>mermaid /67</p> <p>emerald /68</p> <p>sweet grape /75</p> <p>eggplant /76</p> <p>vinter /77</p> <p>graphic charcoal /79</p> <p>oxford /81</p> <p>cement /82</p> <p>cool ashes /83</p> <p>oxide /89</p> <p>flannel gray /91</p> <p>titanium /95</p> <p>riverdale /96</p>	\$102
Rafter 741  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	<p>Content 58% Acrylic, 42% Polyester</p> <p>Width 56"</p> <p>Weight 19 oz/linear yard</p> <p>Repeat 2.28" (W) x 1.18" (H)</p> <p>Abrasion 100,000 Wyzenbeek</p> <p>Application Upholstery</p> <p>Flammability Cal 117E, NFPA 260</p> <p>Performance Meets all ACT Standards </p> <p>Finish None</p> <p>Cleaning Code WS - Spot clean with a mild solvent, an upholstery shampoo or the foam from a mild detergent.</p> <p>Bleach Cleanable: Diluted 1:10</p> <p>Designer Courtney Brooks</p>	<p>ochre /10</p> <p>teal blue /35</p> <p>ocean grass /40</p> <p>rainbow /53</p> <p>purple teal /76</p> <p>silver coal /81</p> <p>leopard /82</p>	\$84

Pattern Number + Name	Specifications	Color Name + Number	Net Price
Ragtime 733  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content Face: 100% Polyester Back: 100% SBR Width 55" Weight 19 oz/linear yard Repeat None Abrasion 100,000 Wyzenbeek Application Upholstery Flammability ASTM E84 adhered + unadhered, Cal 117E, NFPA 260 Performance Meets all ACT Standards Finish Resilience TX Cleaning Code WS - Spot clean with a mild solvent, an upholstery shampoo or the foam from a mild detergent. Designer Courtney Brooks	philharmonic /10 virtuoso /15 groove /35 jazzanova /38 percussion /52 electronic /53 melody /67 symphonic /76 quintet /78 big band /79 transition /81 harmony /93	\$41
Sense 10085  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content 100% Worsted EthEco® Wool Width 54" Weight 11.8 oz/linear yard Repeat None Abrasion 20,000 Martindale Application Upholstery Flammability ASTM E84 unadhered, Cal117E, NFPA 260, UFAC,AS/NZS 1530.3, AS/NZS 3837, IMO A.652(16) 8.2 + 8.3 Performance Meets all ACT Standards Finish None Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product. Designer Instyle Studio	passion /100 delight /101 fun /102 opportunity /103 something /175 purpose /275 justice /325 duty /475 pleasure /500 make /525 wisdom 550 worth /625 I can /700 belonging /925	\$140
Step 721  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content 57% Wool, 38% Polyester, 5% Nylon Width 55" Weight 18.7 oz/linear yard Repeat None Abrasion 100,000 Wyzenbeek Application Upholstery Flammability Cal 117E, BS 5852 Performance Meets all ACT Standards Finish None Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product. Designer De Ploeg	over /38 lively /40 up /79 down /82 out /83 dance /87 back /88 in time /89 away /90 toward /91 around /93 under /95	\$78

Pattern Number + Name	Specifications	Color Name + Number	Net Price	
Suede Plush 729  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	Content	54% Acrylic, 25% Polyamide, 14% Polyester, 7% Cotton	sweet paprika /21 blue cotton /39	\$48
	Width	54"	deep sapphire /40	
	Weight	14.75 oz/linear yard	best blue /41	
	Repeat	None	denim velvet /42	
	Abrasion	100,000 Wyzenbeek	sienna /53	
	Application	Upholstery	spruce /62	
	Flammability	ASTM E84 unadhered, Cal 117E	eucalyptus /63	
	Performance	Meets all ACT Standards 	burnt umber /72 black charcoal /79	
	Finish	None	black /80	
	Cleaning Code	WS - Spot clean with a mild solvent, an upholstery shampoo or the foam from a mild detergent.	natural alpaca /82 buckskin /83 smoky taupe /88 chicory /90 fog /92	
Designer	De Ploeg			

Tonic 10200  <p><i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i></p>	Content	100% Worsted EthEco® Wool	fix /100	water /175	\$113
	Width	54"	pure /110	decanter /181	
	Weight	12.39 oz/linear yard	real /115	excite /182	
	Repeat	None	clear /120	fresh /185	
	Abrasion	150,000 Wyzenbeek	boost /125	just the /186	
	Application	Upholstery	plus lemon /130	lime /187	
	Flammability	ASTM E84 unadhered, Cal117E, NFPA 260, UFAC, AS/NZS 1530.3, AS/NZS 3837, IMO	laughter /135	mix /188	
	Performance	A.652 (16) 8.2 + 8.3, ISO 5660.1 Meets all ACT Standards 	and gin /140	oasis /189	
	Finish	None	sound /145	pick me up /190	
	Cleaning Code	S - Spot clean using a mild water-free solvent, or dry cleaning product.	straight up /150	shaken /191	
Designer	Instyle Studio	bitters /155	super /192		
		welcome /160	timely /193		
		best /165	vodka /194		
		spray /170			

Pattern Number + Name	Specifications	Color Name + Number	Net Price	
Zone 702  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content 85% PVC, 15% Polyester Width 54" Weight 19.35 oz/linear yard Repeat None Abrasion 250,000 Wyzenbeek Application Indoor/Outdoor Upholstery Flammability ASTM E84 adhered, Cal117E, NFPA 260, UFAC, AS/NZS 1530.3, IMO A.652 (16) 8.2 + 8.3 Performance Meets all ACT Standards  Finish Resilience ^{SR} Cleaning Code WS - Spot clean with a mild solvent, an upholstery shampoo or the foam from a mild detergent. Bleach Cleanable: Diluted 1:10 Designer Instyle Studio	party /16 neutral /17 red /21 temperate /22 quiet /35 euro /39 of defense /40 sound /41 twilight /45 city /46 vip /49 game /53 arid /54 dance /55 border /56 range /57 ozone /62 action /63 climate /64 hub /66 cycle /67	green /68 equator /69 dimension /73 heat /74 cult /76 district /79 thriller /80 urban /81 comfort /82 in /83 dream /84 landing /85 building /86 school /89 select /90 map /91 protection /92 pedestrian /94 chill /94 out /96	\$36

Zoom 728  <i>Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.</i>	Content 100% Polyester Width 58" Weight 31.03 oz/linear yard Repeat .8" (W) x .7" (H) Abrasion 50,000 Wyzenbeek Application Upholstery Flammability Cal117E, ISO 5660.1, AS/NZS 1530.3, AS/NZS 3837 Performance Meets all ACT Standards  Finish None Cleaning Code S - Spot clean using a mild water-free solvent, or dry cleaning product. Designer Instyle Studio	aqua /35 navy /40 electric /42 green /67 charcoal /80 light grey /81	\$217
---	---	---	-------

Finish	Minimum Yardage Quantity	Minimum Charge	Minimum Yardage For Per Yard Price	Price Per Yard
Alta (stain repellent)	5	\$200.00	75	\$3.00
Alta & Light Acrylic Backing	5	\$225.00	60	\$4.00
Alta & Moisture Barrier	5	\$225.00	38	\$5.50
Heavy Acrylic Backing	5	\$200.00	75	\$4.00
Light Acrylic Backing	5	\$200.00	75	\$2.75
Alta & Heavy Acrylic Backing	5	\$225.00	55	\$4.00

PLEASE NOTE:

The additional processing time required for all finishes is 10 business days.

For any finishing process, Unika Vaev recommends a fabric overage to accommodate any shrinkage or working loss. Please call your local Unika Vaev Sales Representative or our Corporate Headquarters at 800-237-1625 for the advised amount based on your order. To find the nearest Sales Representative, visit our contact page at <https://unikavaev.com/contact/>

All pricing is per piece.

For additional help and any other questions, please call ka Vaev Customer Service at 800-237-1625.

Unika Vaev Textile Terms & Conditions

Prices: Prices are NET, ex-factory Unika Vaev's warehouse Dallas, Texas and include standard packing. Unless specified in writing by Unika Vaev, no other charges are included in its prices. Unika Vaev reserves the right to change prices without notice at any time prior to order confirmation.

Taxes: All sales, use, excise and other taxes applicable to a sale shall be paid by the purchaser unless appropriate exemption certificates have been submitted to Unika Vaev.

General Terms: Unika Vaev requires a 50% deposit payment upon the placement of an order. The balance of payment, including invoiced charges not included in our pricing, is due prior to shipment.

Credit Terms: At its discretion, Unika Vaev may extend credit terms to accredited customers. Credit may be established upon completion and review of a credit application and acceptance of satisfactory trade references. Subject to the following provision regarding custom product, accredited buyers will be extended NET-15 terms commencing upon issuance of our invoice. If timely payment is not made, the customer shall be liable for 1-1/2% monthly interest charges and reasonable collection costs, including attorney fees. Unika Vaev reserves the right to change credit terms at any time without prior notice.

Terms for Custom: Product Notwithstanding the extension of payment terms to accredited customers, Unika Vaev requires a 50% deposit payment to initiate an order for any product that it considers, in its sole discretion, to be custom. Custom product shall include, but not be limited to, standard product that requires modification as to yard content, construction or color and product that is not included in the Unika Vaev price list at time of order.

Orders: All fabric must be ordered by name and color, specifying Unika Vaev's product number in the order. When seeking an exact match, please submit a cutting with your order; consistency in shade cannot be assured. All orders must be in writing and must include shipping instructions and package marking. Orders sent directly to Unika Vaev should be addressed to 114 New Park Ave North Franklin, CT 06254. Alternatively, customers may place orders with their local Unika Vaev sales representative or email to customerservice@unikavaev.com.

Unika Vaev product is sold to the nearest .10 yard, 1 yard minimum. Any fraction of a yard will be sold and billed at the next highest .10 yard increment. Minimum order quantity is one yard. All fabrics are subject to changes in availability. Therefore, we recommend that customers check inventory stocks with a Unika Vaev customer service representative before placing an order. To protect product from prior sale, if requested, Unika Vaev will reserve reasonable quantities of its product for 10 days.

Orders are subject to the terms and conditions set forth herein which supersede all previous terms and conditions and any prior and/or contemporaneous agreements or correspondence regarding the sale. Unika Vaev hereby gives notice of its objection to any different or additional terms and conditions. An order is not binding on Unika Vaev until the purchaser has received its formal order confirmation and such orders may not be modified except upon the issuance by Unika Vaev of a revised order confirmation. Terms set forth in the order confirmation shall control in the event of a conflict between the terms set forth in the order confirmation and those terms set forth herein. Any sale is expressly conditional upon purchaser's assent to the terms and conditions set forth herein.

Change Orders or Cancellations: Changes or cancellations to confirmed orders will not be accepted without the prior written authorization of Unika Vaev and if accepted will be subject to handling charges. Under no circumstances will changes or cancellations be accepted if such changes or cancellations are not received in time to be implemented.

Shipments and Freight: All shipments made within the domestic United States and to Canada will be made via standard ground transportation (tailgate delivery only) by a freight carrier chosen by Unika Vaev. There will be a separate charge for shipments made to any overseas destination, shipments made domestically or to Canada via air or any other expedited ground service, or shipments that require special circumstances of delivery (e.g., inside delivery). Unika Vaev reserves the right to make partial shipments. Freight Claims Unika Vaev assumes no risk of loss or damage to merchandise after it leaves its warehouse and therefore is not responsible for damage or loss suffered in transit or in storage. Unika Vaev believes that its merchandise is carefully inspected and packed according to ICC standards. At time of delivery, the customer (consignee) should examine all cartons carefully and note any visible damage or shortage on the delivery receipt. The customer must claim any damage or loss with the freight carrier within 5 days of delivery and packing materials must be retained until subsequent inspection is made by the freight carrier. The customer is also protected against concealed damages if a freight claim is filed with carrier within 5 days of receipt of goods.

Defects: Any claims against Unika Vaev for defects, shortage or error must be made by the customer, in writing, within 10 days of delivery of the product, provided that the customer or others have not cut or otherwise modified the product. Failure to make such claim within the 10-day period or modification of the product shall constitute full acceptance of the merchandise and waiver of all defects, shortages, and errors ascertainable under inspection.

Returns: No merchandise may be returned without Unika Vaev's prior written return authorization. Unauthorized returns will not be accepted and will be returned freight collect to the customer. To the extent authorized by Unika Vaev, returns of non-defective product will be subject to a 25% restocking charge. Notwithstanding Unika Vaev's prior return authorization, if the returned goods are not received in their original condition, the return will become void and the merchandise will be returned to the customer at the customer's expense. The customer shall bear all responsibility for freight and/or concealed damage in respect of the return of goods. Return requests for fabric lengths of less than 10 yards or for custom product will not be considered by Unika Vaev.

Delivery: Unika Vaev is not liable for delay or failure to deliver or perform due to strikes, differences with workers, war, riot, fire, compliance with government regulations, acts of God, failure or delay of sources of supply or any other causes beyond its control.

Storage: Unika Vaev reserves the right to transfer product to storage, at customer expense, if the customer cannot accept delivery by the shipping date specified on the order confirmation and may deem such transfer as delivery for all purposes including invoicing and payment.

Warranty: Unika Vaev warrants to the original purchaser that all textiles under normal use shall meet their respective specifications for a period of one (1) year from the date of delivery. If a product fails to conform to this limited warranty during the first year after date of shipment, upon prompt written notice, Unika Vaev will, at its option, repair, replace, or refund the purchase price of, the affected textiles. This warranty does not apply to other parties acts or omissions, user modifications, or unusual atmospheric or environmental conditions

Warranty: Unika Vaev warrants to the original purchaser that all textiles under normal use shall meet their respective specifications for a period of one (1) year from the date of delivery. If a product fails to conform to this limited warranty during the first year after date of shipment, upon prompt written notice, Unika Vaev will, at its option, repair, replace, or refund the purchase price of, the affected textiles. This warranty does not apply to other parties acts or omissions, user modifications, or unusual atmospheric or environmental conditions

ALL OTHER WARRANTIES, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED.

Samples: Memo samples may be requested by telephone at 800-237-1625, via the email to uvsamples@unikavaev.com, via the website at unikavaev.com or directly through your local sales representative. All Unika Vaev samples are provided for general pattern and color information only and should never be considered as a control sample when placing an order. Unika Vaev is not responsible for dye lot differences and does not guarantee, warrant or represent an exact match to cuttings, memos, or any other sampling material.

Designs: All products shown in Unika Vaev's literature and web site are, and remain, the property of Unika Vaev and it reserves the exclusive right to distribute and/or manufacture the models shown. Unika Vaev reserves the right to make changes in price, design, construction or coloration without prior notice.

Compliance with Law: PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES, AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE, AND OPERATION OF UNIKA VAEV PRODUCT.

Limitation of Liability: Unika Vaev shall not be liable to purchaser for any special, indirect, incidental or consequential damages arising from a breach of the terms and conditions set forth herein. Purchaser's remedies are exclusive and the liability of Unika Vaev with respect to the breach of the terms and conditions set forth herein or any contract entered into between the parties pursuant hereto shall not exceed the price of the product on which such liability is based.

Unika Vaev is a division of International Contract Furnishings.